










HOT ! SLIM IP20 switch-power supply

Model	Output power	Size(mm)	Input voltage	Output voltage(V)	Output current(mA)	Weight	Verð án vsk	Photo	Package
YSV-12060-N	60W	172x35x25	90-130V /170-250V	12V	5A	160g	701 kr		70pcs/carton Weight:10.8kg 38*26*17.5cm
YSV-12100-N	100W	140x49x29	90-130V /170-250V	12V	8.3A	240g	1.075 kr		50pcs/carton Weight:11.4kg 38*26*17.5cm
YSV-12150-N	150W	195x49x29	90-130V /170-250V	12V	12.5A	370g	1.285 kr		30pcs/carton Weight:11kg 39.8*26.8*15.8cm
YSV-12200-N	200W	195x49x29	90-130V /170-250V	12V	16.7A	370g	1.472 kr		30pcs/carton Weight:11kg 39.8*26.8*15.8cm
YSV-12250-N	250W	215*64*35	90-130V /170-250V	12V	21A	420g	1.613 kr		30pcs/carton Weight:15.7kg 39.5*23.5*18cm
YSV-12300-N	300W	235*64*35	90-130V /170-250V	12V	25A	500g	1.870 kr		30pcs/carton Weight:15.7kg 45*26.8*20.5cm
YSV-12350-N	350W	235*64*35	90-130V /170-250V	12V	29.1A	500g	1.986 kr		30pcs/carton Weight:15.7kg 45*26.8*20.5cm
YSV-12400-N	400W	235*64*35	90-130V /170-250V	12V	33.3A	500g	2.244 kr		30pcs/carton Weight:15.7kg 45*26.8*20.5cm

Ultra-thin constant voltage waterproof led driver

Model	Output power	Size(mm)	Input voltage	Output voltage	Output current	Weight	Verð án vsk	Photo	Package
YSV-12020-A	20W	182*30*20mm	90-130V /170-250V	12V	1.67A	210g	654 kr		50pcs/carton Weight:12.5kg 38.5*25*20cm 0.02m ³
YSV-12030-A	30W	182*30*20mm	90-130V /170-250V	12V	2.5A	210g	771 kr		50pcs/carton Weight:14.5kg 38.5*25*20cm 0.02m ³
YSV-12040-A	40W	222*30*20mm	90-130V /170-250V	12V	3.3A	260g	888 kr		50pcs/carton Weight:15kg 38.5*25*20cm 0.02m ³
YSV-12050-A	50W	202*35*25mm	90-130V /170-250V	12V	4.16A	290g	1.122 kr		50pcs/carton Weight:15.5kg 38.5*25*20cm 0.02m ³
YSV-12060-B	60W	202*35*25mm	90-130V /170-250V	12V	5A	290g	1.239 kr		50pcs/carton Weight:15.5kg 38.5*25*20cm 0.02m ³
YSV-12080-A	80W	170*52*35mm	90-130V /170-250V	12V	6.7A	550g	1.589 kr		20pcs/carton Weight:12.2kg 40.5*25*16.8cm 0.024m ³
YSV-12100-T	100W	178*62*17mm	90-130V /170-250V	12V	8.3A	380g	1.776 kr		30pcs/carton Weight:11.8kg 41.5*21.5*17.5cm 0.014m ³
YSV-12150-T	150W	198*58*32mm	90-130V /170-250V	12V	12.5A	700g	2.454 kr		15pcs/carton Weight:11.5kg 39.8*26.8*15.8cm 0.017m ³
YSV-12200-T	200W	238*58*32mm	90-130V /170-250V	12V	16.7A	850g	2.828 kr		15pcs/carton Weight:13.5kg 39.8*26.8*15.8cm 0.018m ³
YSV-12250-T	250W	228*72*32mm	90-130V /170-250V	12V	21A	1000g	3.622 kr		15pcs/carton Weight:11kg 45.5*26*11.5cm 0.015m ³
YSV-12300-T	300W	228*72*32mm	90-130V /170-250V	12V	25A	1000g	4.207 kr		10pcs/carton Weight:11kg 45.5*26*11.5cm 0.015m ³
YSV-12350-T	350W	228*72*32mm	90-130V /170-250V	12V	29.2A	1000g	4.908 kr		10pcs/carton Weight:11kg 45.5*26*11.5cm 0.015m ³

NEW Rainproof LED power supply

Model	Output power	Size(mm)	Input voltage	Output voltage(V)	Output current(m A)	Weight	Verð án vsk	Photo	Package
YSV-12200	200W	175*95*48mm	90-130V /170-250V	12V	16.7A	430g	1.402 kr		
YSV-12250	250W	175*95*48mm	90-130V /170-250V	12V	21A	430g	1.636 kr		
YSV-12300	300W	220*95*48mm	90-130V /170-250V	12V	25A	680g	1.870 kr		
YSV-12350	350W	220*95*48mm	90-130V /170-250V	12V	29A	680g	1.986 kr		
YSV-12400	400W	220*95*48mm	90-130V /170-250V	12V	33A	680g	2.103 kr		

24V and 12V is the same price

- 1) Quotation :** The Quotation in USD not Freight and EXW price.
- 2) warranty:** 3 years. Connect wrong line or man-made damage is not within the warranty.
- 3) Date of delivery:** within 10-15 days upon order confirmation (Except special led driver).
- 4) Terms of payment:** Payment Before delivery (Cash) ,T/T or paypal or Western union, etc.

Our LED driver power features

Using high quality components :

- a.**Core driver chip IC :choose OB, ON ansion beauty, TI and other big brands, import core source, low working temperature, stable and reliable performance.
- b.**Schottky diode selection: PANJIT company. ansion beauty big brand, such as the core source, stable performance and reliable quality.
- c.**MOS tubes: the United States fairchild, stmicroelectronics ST, South Korea weston brands such as low working temperature, stable performance, reliable in quality.
- d.**Capacitance: electrolytic capacitor using high frequency low resistance, enough capacitance, resistant to high voltage, leakage current small, small loss Angle, high ripple current and high and low temperature resistant .
- e.**Safety protection: the power supply has overcurrent, overload, over voltage, over temperature, short circuit, lightning protection, etc.
