











Model No.	Picture	Effect pic.	Parameter	Ån vsk	M. Vsk
GSD-350II BEAM			<b>350W Beam Moving Head Light</b> <ul style="list-style-type: none"> <li>•Lamp:YODN 350W, CT: 8,000K, Life:2,000H</li> <li>•Control channel: 18/24/30 channels</li> <li>•Pan Movement: 540°optional (16 bit)</li> <li>•Tilt movement: 270°(16 bit)</li> <li>•Advanced moving system: fast, stable and quiet, 3-phase motor for X-Y</li> <li>•Color wheel: 14 color + white, rainbow effect</li> <li>•Fixed Gobo Wheel: 14 gobos + open</li> <li>•<b>Dual Prism &amp; overlap: 3/5/8/9/16/24/48 prism option (1/2/3 circle prism)</b></li> <li>•<b>Special prism: 8 color prism</b></li> <li>•Focus: motorized focus</li> <li>•Shutter: Variable from 1-25 flashes</li> <li>•Frost: 0-100%</li> <li>•Beam angle: 0°or 4.8°</li> <li>•Humanized reset detection set: long press menu and enter button to lock</li> <li>•Pan/tilt reset, can support fixtures do the reset detection in flight case</li> <li>•Software upgrade: through DMX cable conveniently, quickly upgrade software</li> <li>•Remote DMX addressing, lamp of/off, reset, sound control switch by controller</li> </ul>	156.532 kr	194.099 kr
GSD-350 I SPOT			<b>350W Beam&amp; spot Moving Head Light</b> <ul style="list-style-type: none"> <li>•Power supply: AC90 ~ 240V, 50 / 60HZ</li> <li>•Lamp:YODN 350W, CT: 8,500K, Life:2,000H</li> <li>•Control channel: 16/20 channels</li> <li>•Pan Movement: 540°optional (16 bit)</li> <li>•Tilt movement: 280°(16 bit)</li> <li>•Advanced moving system: fast, stable and quiet, 3-phase motor for X-Y</li> <li>•Color wheel: 14 color + white, rainbow effect</li> <li>•Fixed Gobo Wheel: 13 gobos + open</li> <li>•Rotation Gobo wheel: 7 Gobos + blank</li> <li>•Dual Prism &amp; overlap: 3/5/8/9/16/24/48 prism option (1/2/3 circle prism)</li> <li>•Rainbow prism: 8 color prism</li> <li>•Focus: motorized focus</li> <li>•Shutter: Variable from 1-25 flashes</li> <li>•Frost: 0-100%</li> <li>•Beam angle: 0°or 4.8°</li> <li>•Humanized reset detection set: long press menu and enter button to lock</li> <li>•Pan/tilt reset, can support fixtures do the reset detection in flight case</li> <li>•Software upgrade: through DMX cable conveniently, quickly upgrade software</li> <li>•Remote DMX addressing, lamp of/off, reset, sound control switch by controller</li> </ul>	169.223 kr	209.837 kr
GSD-630			<b>Six head red moving head laser light</b> <ul style="list-style-type: none"> <li>* Power Supply: AC90V-240V, 50/60Hz</li> <li>* Power Consumption: 40W</li> <li>* Laser Source: solid semiconductor laser generator</li> <li>* Laser standard: 3b</li> <li>* Laser Power: R300mW *6</li> <li>* Wavelength: 638nm</li> <li>* Mode: Auto,Sound,DMX</li> <li>* DMX mode:10/17/22 CH</li> <li>* Blue LCD display</li> <li>* Weight:7.5kg</li> </ul>	103.649 kr	128.525 kr
				99.419 kr	123.279 kr
GSD-380I BSW			<b>380W 3in1 Beam Moving Head Light</b> <ul style="list-style-type: none"> <li>•Lamp: YODN 380W, CT: 8,000K, Life:2,000H</li> <li>•Control channel: 18/24/30 channels</li> <li>•Pan Movement: 540°optional (16 bit)</li> <li>•Tilt movement: 270°(16 bit)</li> <li>•Advanced moving system: fast, stable and quiet, 3-phase motor for X-Y</li> <li>•Color wheel: 11 color + white, rainbow effect</li> <li>•<b>Gobo wheel: 3pcs Gobo wheel</b></li> <li>•Fixed Gobo Wheel: 14 gobos + open</li> <li>•Rotation Gobo wheel: 9 changeable gobo + open</li> <li>•Running Gobo wheel: 4 gobo + open</li> <li>•<b>Dual Prism &amp; overlap: 3/5/8/9/16/24/48 prism option (1/2/3 circle prism)</b></li> <li>•<b>Special prism: 8 color prism</b></li> <li>•<b>Super big size pattern:3 meter pattern @5m</b></li> <li>•Focus: motorized focus</li> <li>•Shutter: Variable from 1-25 flashes</li> <li>•Dimming: 0-100% full range dimming</li> <li>•Frost: 0-100%</li> <li>•Beam angle: 0°or 4.8°</li> <li>•Humanized reset detection set: long press menu and enter button to lock</li> <li>•Pan/tilt reset, can support fixtures do the reset detection in flight case</li> <li>•Software upgrade: through DMX cable conveniently, quickly upgrade software</li> </ul>	236.913 kr	293.772 kr
GSD-330I SPOT			<b>280W beam Spot moving head light</b> <ul style="list-style-type: none"> <li>Voltage: AC 100W-240V, 50/60Hz</li> <li>Lamp: 280W lamp</li> <li>Power Consumption: 350W</li> <li>DMX512 channel:18CH</li> <li>Color wheel:14color + white</li> <li>Fixed Gobo wheel: 16 Gobo + Blank</li> <li>Rotating Gobo wheel:7 Gobo + blank, easy changeable Gobo</li> <li>Dimming: 0-100% linear adjustment</li> <li>Double Prism: 3/5/6/8/9/16/24 prism, T prism option</li> <li>Screen: LCD touch screen</li> <li>Movement: X-540°, Y-260°, 8/16 bits adjustable</li> </ul>	137.494 kr	170.493 kr

<p><b>GSD-350I BSW</b></p>			<p><b>350W 3in1 moving head Light</b></p> <ul style="list-style-type: none"> <li>●Lamp:350W(17R) YODN lamp,7000K</li> <li>●ZOOM: Linear motorized Zoom from 4°to 16°angle</li> <li>●Input Voltage:AC100-240V 50/60Hz</li> <li>●Power Consumption:600W</li> <li>●Color Wheel:14 colors + open,Variable direction rainbow effect with speed adjustable</li> <li>●Rotate Gobo Wheel:9 rotatable gobos with speed adjustable,stream effect,dithering effect and</li> <li>● rotatable clockwise or anticlockwise</li> <li>●Static Gobo Wheel: 17 gobos + open</li> <li>●Dual Prism: 3/5/8/9/16/24 prism option</li> <li>●Pan: 540°movement;16 bit smooth and precise resolution for Pan movement</li> <li>●Tilt: 270°movement;16 bit smooth and precise resolution for Tilt movement</li> </ul>	<p><b>203.068 kr</b></p>	<p><b>251.804 kr</b></p>
<p><b>GSD-260II BEAM</b></p>			<p><b>260w prism-king light</b></p> <ul style="list-style-type: none"> <li>* Power supply: AC90 ~ 240V, 50 / 60HZ</li> <li>* Lamp: 260w Philips lamp</li> <li>* Color temperature: 8500K</li> <li>* Focus: 0°-3.9°</li> <li>* Brightness: 50000LUX @20 meters</li> <li>* Channel mode: 18 DMX512 channel</li> <li>* Horizontal scan: 540°(16bit precision scanning)</li> <li>* Vertical scan: 270°(16bit precision scanning)</li> <li>* Color wheel: 14 colors + white, rainbow effect with one-way rotation,</li> <li>* Fixed Gobos: 14 Gobo + blank</li> <li>* Effect Gobo wheel: 6 effecr + blank</li> <li>* Two Prisms wheels: 2 pieces T prism, 8-prism, 16-prism, 24-prism, (8+16) face prism, in total 6 pieces prism in total</li> <li>* Rainbow Prism: 8 color prism</li> <li>* Strobe: strobe the highest frequency can be 13 times per second,</li> <li>* Frost: 0-100% linear frost</li> <li>* Dimming: 0-100% dimming</li> <li>* Console console light bulbs and reset functions, with delay function</li> <li>* Weight: 19kgs</li> <li>* Gross Weight:21kgs</li> </ul>	<p><b>137.494 kr</b></p>	<p><b>170.493 kr</b></p>
<p><b>GSD-260I BEAM</b></p>			<p><b>260w super beam light</b></p> <ul style="list-style-type: none"> <li>* Power supply: AC90 ~ 240V, 50 / 60HZ</li> <li>* Lamp: 260w Philips lamp</li> <li>* Color temperature: 8500K</li> <li>* Focus: 0°-3.9°</li> <li>* Brightness: 50000LUX @20 meters</li> <li>* Channel mode: 16/20 DMX512 channel</li> <li>* Horizontal scan: 540°(16bit precision scanning)</li> <li>* Vertical scan: 270°(16bit precision scanning)</li> <li>* Color wheel: 14 colors + white, rainbow effect with one-way rotation,</li> <li>* Fixed Gobos: 14 Gobo + blank</li> <li>* Dual Prisms: 8 prism + (8+8) prism</li> <li>* Rainbow Prism: 8 color prism</li> <li>* Strobe: strobe the highest frequency can be 13 times per second,</li> <li>* Frost: 0-100% linear frost</li> <li>* Dimming: 0-100% dimming</li> <li>* Console console light bulbs and reset functions, with delay function</li> <li>* Weight: 19kgs</li> <li>* Gross Weight:21kgs</li> </ul>	<p><b>118.456 kr</b></p>	<p><b>146.886 kr</b></p>
<p><b>GSD-380I BEAM</b></p>			<p><b>380W prism King Light</b></p> <ul style="list-style-type: none"> <li>●Power supply: AC90 ~ 240V, 50 / 60HZ</li> <li>●Lamp: YODN 380w, CT: 8,000K, Life:2,000H</li> <li>●Control channel: 20 channels</li> <li>●Pan Movement: 540°optional (16 bit)</li> <li>●Tilt movement: 270°(16 bit)</li> <li>●Advanced moving system: fast, stable and quiet, 3-phase motor for X-Y</li> <li>●Color wheel: 14 color + white, rainbow effect</li> <li>●Gobo wheel: 3pcs Gobo wheel</li> <li>●Fixed Gobo1 Wheel: 14 gobos + open</li> <li>●Two Prism wheel: 3 prisms each wheel, in total 6 prisms. two prisms can be overlap, so will have 11 kind prism effect</li> <li>●Special prism: 8 color prism</li> <li>●Focus: motorized focus</li> <li>●Shutter: Variable from 1-25 flashes</li> <li>●Dimming: 0-100% full range dimming</li> </ul>	<p><b>200.953 kr</b></p>	<p><b>249.181 kr</b></p>
<p><b>GSD-L1915R</b></p>			<p><b>19pcs LED Zoom Moving Head light</b></p> <p>Voltage:AC110-250V 50/60Hz Source:19pcs 12W OSRAM LED Color:RGBW 4-in-1 Dimmer:0-100% Strobe:0-20Hz Pan/Tilt Speed:User-selectable Pan/Tilt ranges Movement:Pan/540° , Tilt/270° Channels:14CH Display:LCD display Mode:DMX512, master/slave,Auto,Sound Packing size:380*360*250mm N.W:9kg; G.W:11kg</p>	<p><b>105.765 kr</b></p>	<p><b>131.148 kr</b></p>

<p><b>GSD-230I BEAM</b></p>			<p><b>230W Beam moving head light</b></p> <ul style="list-style-type: none"> <li>•Bulb: Osram 7R</li> <li>•Switching Power supply:AC100-240V,50/60HZ</li> <li>•Power Consumption:280W</li> <li>•Protocollo di segnale DMX:USITT DMX 512</li> <li>•Channel Mode:16 DMX512 channel</li> <li>•Motors:11 super mute motor</li> <li>•Pan-540°C,Tilt-270°C,with automatic correction</li> <li>•X,Y motion can mediate fine-tuning ,software correction positioning function ,high precision</li> <li>•Dimming:0-100% linear adjustment</li> <li>•Strobe:Double chip strobe(0.5-9T/SEC),Full linear dimming and variable stroboscopic speed</li> <li>•Color wheel:14color + blank</li> <li>•Gobo wheel: 17 fixed pattern piece + blank</li> <li>•Prism:8/16/24prism rotation</li> <li>•Atomization:soft light effect,the design of soft dream effect.</li> <li>•Focus:adopting the combination of three groups of optical lens effect is much better than the beam of light ,usually can reflects the pattern of hd</li> <li>•Beam Angle:parallel beam Angle 0-4.0°</li> <li>•Overheating intelligent protection</li> <li>•Intelligent control,prolong the service life of the bulb lamp switch</li> <li>•Size:460*380*550mm</li> <li>•Weight:19kg</li> </ul>	<p><b>93.073 kr</b></p>	<p><b>115.410 kr</b></p>
<p><b>GSD-L1915F</b></p>			<p><b>19pcs 15w big eye moving head light</b></p> <p>Input voltage:AC100 - 240V,50/60Hz Lamp source :19pcs 15W RGBW 4IN1 Zoom angle:4-60° LEDs:Individual control Front lens: Bi-directional and continuous rotating. CTO:Linear controlled 2500-8000K. Operating modes: wash, beam, FX (Kaleido effects) Dimmer:0-100% linear electronic dimmer DMX512: 3/5-pin XLR IN-OUT sockets Power connect: Powercon in-out Display:LCD display PAN :540° TILT : 210° Size:494*358*253 Weight:15 Kg</p>	<p><b>181.915 kr</b></p>	<p><b>225.575 kr</b></p>
<p><b>GSD-L200BSW</b></p>			<p><b>200w LED 3in1 moving head light</b></p> <ul style="list-style-type: none"> <li>* Rated voltage: AC90-240V 50 / 60Hz</li> <li>* Rated power: 400W</li> <li>* Source: 200w led</li> <li>* Display: LCD screen</li> <li>* Control mode: DMX512, Auto, Sound, Master/slave manual control 14/16CH</li> <li>* DMX signal input / output: 3/5 Pin XLR signal line interface</li> <li>* Color wheel: 10 color + blank</li> <li>* Fixed Gobo: 8 Gobo + blank</li> <li>* Rotation Gobo: 4 metal Gobo + 4 Glass Gobo + blank</li> <li>* Dual prism: 3 prism + 8 prism</li> <li>* Dimming: 0-100% linear dimming</li> <li>* X-axis: horizontal rotating 540°</li> <li>* Y axis: vertical rotation 270°</li> <li>* Zoom: 11°-72° (0-100%) to adjust the light angle linear / spot size</li> <li>* Protection: IP20</li> <li>* Cooling: Fan cooling</li> <li>* Weight: 8.0 KG</li> </ul>	<p><b>158.647 kr</b></p>	<p><b>196.722 kr</b></p>
<p><b>GSD-L200BEAM</b></p>			<p><b>200w LED spot moving head light</b></p> <ul style="list-style-type: none"> <li>* Rated voltage: AC90-240V 50 / 60Hz</li> <li>* Source: 200w led</li> <li>* Control mode: DMX512, Auto, Sound, Master/slave manual control 15CH</li> <li>* DMX signal input / output: 3/5 Pin XLR signal line interface</li> <li>* Color wheel: 11 color + blank</li> <li>* Fixed Gobo: 17 Gobo + blank</li> <li>* Dual prism: 8 prism + 16 prism</li> <li>* Dimming: 0-100% linear dimming</li> <li>* X-axis: horizontal rotating 540°</li> <li>* Y axis: vertical rotation 270°</li> <li>* Protection: IP20</li> <li>* Cooling: Fan cooling</li> </ul>	<p><b>129.033 kr</b></p>	<p><b>160.001 kr</b></p>
<p><b>GSD-L910S</b></p>			<p><b>3 x 3 LED Spider moving head light</b></p> <ul style="list-style-type: none"> <li>• Voltage: AC90V~240V, 50/60Hz</li> <li>• LED: 9 x 12-Watt RGBW Cree LEDs</li> <li>• Power Consumption: 140W maximum</li> <li>• Screen: 4-Button DMX LED Display</li> <li>• Control modes: Sound Active, Show Mode, DMX Controlled</li> <li>• DMX Channel Modes: 2/6/15/23/45</li> <li>• LED Life: 50,000Hrs</li> <li>• Electronic Dimming: 0 - 100%</li> <li>• Movement: Pan-540 degree, Tilt-60 - 150 degree</li> <li>• Beam angle: 5 Degrees</li> <li>• Mount on a wall, trussing, or set on the ground</li> <li>• Dimensions (LxWxH): 45.8*43.0*21.0CM</li> <li>• Weight:10.6 kg.</li> </ul>	<p><b>70.228 kr</b></p>	<p><b>87.082 kr</b></p>

<p><b>GSD-L810P</b></p>			<p><b>LED Moving Head Spider Light</b>  Power Supply: AC100-240V, 50-60Hz  Power Consumption: 130w  LED source: 8pcs * 15w CREE led  DMX channel: 13/46CH  Control mode: DMX512, Sound, Auto, Master/slave  Beam angle: 3 degree  Movement: Pan/Tilt: X axis 540 degree  Y1 axis 120 degree, Y2 axis 540 degree  Dimmer: 0-100% Linear dimmer  Display: Blue background LCD display  N.W: 9kgs  G.W: 11kgs  Product size:32*41*28cm</p>	<p><b>67.689 kr</b></p>	<p><b>83.935 kr</b></p>
<p><b>GSD-L810W</b></p>			<p><b>LED Spider Light</b>  Power Supply: AC100-240V, 50-60Hz  Power Consumption: 130w  LED source: 8pcs * 15w CREE led  DMX channel: 13/46CH  Control mode: DMX512, Sound, Auto, Master/slave  Beam angle: 3 degree  Movement: Pan/Tilt: X axis 540 degree  Y1 axis 120 degree, Y2 axis 540 degree  Dimmer: 0-100% Linear dimmer  N.W: 6kgs  G.W: 7.5kgs  Product size:20*41*24cm</p>	<p><b>40.402 kr</b></p>	<p><b>50.099 kr</b></p>
<p><b>GS-036</b></p>			<p><b>36pcs LED Beam light</b>  Voltage:AC100-240V  Frequency:50/60Hz  Power:160W  Source:36pcs CREE 3W(R8,G10,B10,W8)  Control:Master-Slave/Auto/Sound/DMX  Channel control:15CH  Dimmer:0-100%  Flash:0-20Hz  Pan/Tilt:User-selectable Pan/Tilt ranges  Pan/Tilt:540°/270°  Fine Turning:8-16bit  Display:LCD display  Color:black/white  Working Environment Temperature:45°C  Beam Angle:2°  Size:33*24.5*38.5cm  Weight:5.5kg</p>	<p><b>49.921 kr</b></p>	<p><b>61.902 kr</b></p>
<p><b>GS-136</b></p>			<p><b>36pcs LED Zoom Beam light</b>  Voltage:AC90-240V  Frequency:50/60Hz  Power:360W  Lamp:36pcs 10W RGBW 4-in-1 LED  Control:Master-Slave/Auto/Sound/DMX  Channel :14CH  Color:red green white color mixed  Function:Flash,Zoom in/out with  Dimmer:0-100%  Pan/Tilt:540°/240°  Fine Turning:16bit  Sound-active  Size:460*430*510mm  Weight:10kg</p>	<p><b>84.612 kr</b></p>	<p><b>104.918 kr</b></p>
<p><b>GS-108</b></p>			<p><b>108pcs LED Moving Head light</b>  Power: (US models)AC110-120V nominal,60Hz;  (EU models)90-260V nominal,50Hz  Power consumption:150W;  LEDs:108 pcs 1W EDISON LED  Control mode:DMX-512control mode;auto;sound control  DMX control channel:13CH;  Pan:540°/630° (16bit)  Tilt:265° (16bit) ;  Carton size: 460x335x385mm (1pcs/carton)  N.W: 9kg;  G.W: 11kg</p>	<p><b>82.496 kr</b></p>	<p><b>102.296 kr</b></p>